

Safety Data Sheet According to regulation (EC) No 1907/2006 (REACH)

Revision: 03/08/2020
Printing date: 04/09/2020
Revision: 6.0.1 (6.0.0)

STAINEX-CLEAN PLUS

Supplier: Drizign Pty Ltd
ABN 66 085 088 580
43 Henderson Rd
Clayton North Vic 3168
Ph.: 61 3 9562 5244
Email: contactus@stainex.com

Emergency 24 Hour Telephone:

Poison Information Service: 13 11 26
Fire Brigade: 000
Police: 000

-
1. **Identification:**
Product Name: **STAINEX-CLEAN PLUS**
Recommended Use: Washing and cleaning products
-

2. **Hazard Identification:**

2.1 **Classification of the substance or mixture**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Met. Corr. 1 ; H290 - Corrosive to metals : Category 1 ; May be corrosive to metals.

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation.

Eye Dam. 1 ; H319 - Serious eye damage/eye irritation : Category 2A ; Causes serious eye irritation.

2.2 **Label elements**

Labelling (according to Regulation (EC) No. 1272/2008 [CLP]



Exclamation Mark (GHS07)

Signal word

Warning

Hazard statements

H290

May be corrosive to metals.

H315

Causes skin irritation.

H319

Causes serious eye damage.

Precautionary statements

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P332+P313

If skin irritation occurs: Get medical advice/attention.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice/attention.

P302+P352

IF ON SKIN: Wash with plenty of water/....

P390

Absorb spillage to prevent material damage

2.3 **Other hazards**
None

3. **Composition/information on ingredients:**

3.2 **Mixtures**

Hazardous ingredients

PHOSPHORIC ACID ; REACH No. : 01-2119485924-24-XXXX ; EC No. : 231-633-2; CAS No. : 7664-38-2

Weight fraction : $\geq 10 - < 25 \%$

Classification 1272/2008 [CLP] : Met. Corr. 1 ; H290 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318

Substance with a common (EC) occupational exposure limit value.

Specific Conc. Limits : Eye Dam. 1 ; H318: C $\geq 25 \%$ • Skin Corr. 1B ; H314: C $\geq 25 \%$ • Skin Corr. 1C ;
H314: C $\geq 25 \%$ • Eye Irrit. 2 ; H319: C $\geq 10 \%$ • Skin Irrit. 2 ; H315: C $\geq 10 \%$

CITRIC ACID ; REACH No. : 01-2119457026-42-XXXX ; EC No. : 201-069-1; CAS No. : 77-92-9

Weight fraction : $\geq 10 - < 25 \%$

Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

2-BUTOXYETHANOL ; REACH No. : 01-2119475108-36-XXXX ; EC No. : 203-905-0; CAS No. : 111-76-2

Weight fraction : $\geq 1 - < 5 \%$

Classification 1272/2008 [CLP] : Acute Tox. 4 ; H302 Acute Tox. 4 ; H312 Acute Tox. 4 ; H332 Skin Irrit. 2;H315
Eye Irrit. 2 ; H319

Substance with a common (EC) occupational exposure limit value.

Additional information

Full text of H- and EUH-phrases: see section 16

4. **First aid measures:**

4.1 **Description of first aid measures**

General Information:

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps.

Following inhalation:

In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Rub greasy ointment into the skin.

After eye contact:

After contact with the eyes. Rinse with water with plenty of flowing water for 10 to 15minute holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

After ingestion:

Rinse out mouth with water. Let 1 glass of water be drunken in little sips (dilution effect) Do NOT induce vomiting. Call a physician immediately.

4.2 **Most important symptoms and effects, both acute and delayed.**

Causes skin irritation. Causes serious eye irritation.

4.3 **Indication of any immediate medical attention and special treatment needed.**

None.

5. **Fire-fighting measures:**

5.1 **Extinguishing media**

Suitable extinguishing media:

Water Foam Extinguishing powder Carbon dioxide (CO₂). Sand. Nitrogen. Extinguishing blanket.

Unsuitable extinguishing media

Full water jet

5.2 **Special hazards arising from the substance or mixture:**

Hazardous combustion products:

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO₂) Phosphorus oxides.

5.3 **Advice for Fire fighters:**

In case of fire. Wear a self-contained breathing apparatus.

5.4 **Additional Information:**

The product itself does not burn. Coordinate fire-fighting measures to the fire surroundings. Fire-fighting water forms corrosive acid solutions. Move undamaged containers from immediate hazard area if it can be done safely.

6. **Accidental release measures:**

6.1 **Personal precautions, protective equipment and emergency procedures:**

Special danger of slipping by leaking/spilling product.

6.2 **Environmental precautions:**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 **Methods and material for containment and cleaning up:**

Clear spills immediately. Wipe up with absorbent material (e.g. cloth, fleece).

Wash with plenty of water. Treat the recovered material as prescribed in the section of waste disposal.

6.4 **Reference to other sections:**

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

7. **Handling and storage:**

7.1 **Precautions for safe handling:**

Keep containers tightly closed.

7.2 **Conditions for safe storage, including any incompatibilities:**

P406- store in corrosive resistant/... container with resistant inner liner. Keep locked up. Keep/Store only in original container. Protect against Frost.

Hints on joint storage:

Storage Class (TRGS 510): 8B

7.3 **Specific end use(s):**

Observe technical data sheet. Observe instructions for use.

8. **Exposure controls / personal protection:**

8.1 **Control parameters**

Occupational exposure limit values

PHOSPORIC ACID:	CAS No: 7664-38-2
Limit value type: (country of origin)	TRGS 900 (D)
Parameter:	E: inhalation fraction.
Limit value:	2 mg/m ³
Peak limitation:	2(l)
Remark:	Y
Version:	29.03.2019
Limit value type: (country of origin)	STEL (EC)
Limit value:	2 mg/m ³
Version:	20.06.2019
Limit value type: (country of origin)	TWA (EC)
Limit value:	1 mg/m ³
Version:	20.06.2019

CITRIC ACID ; CAS No. : 77-92-9

Limit value type (country of origin) :	TRGS 900 (D)
Parameter :	E: inhalable fraction
Limit value :	: 2 mg/m ³
Peak limitation :	2(l)
Remark :	Y
Version :	29.03.2019

2-BUTOXYETHANOL :
Limit value type: (country of origin)
Limit value: 10 ppm / 49 mg/m³
Peak limitation: 2(II)
Remark: H,Y
Version: 29.03.2019
Limit value type: (country of origin)
Limit value: 50 ppm / 246 mg/ m³
Remark: Skin
Version: 20.06.2019
Limit value type: (country of origin)
Limit value: 20 ppm / 98 mg/ m³
Remark: Skin
Version: 20.06.2019

Biological limit values

2-BUTOXYETHANOL
Limit value type: (country of origin)
Parameter :
Limit value: 100 mg/l
Version: 29.03.2019
Limit value type: (country of origin)
Parameter:
Limit value: 150 mg/g Kr
Version: 29.03.2019
CAS No: 111-76-2
TRGS 900 (D)
Butoxy acetic acid/ Urine (U) / At long term exposure after several previous shifts
TRGS 903 (D)
Butoxy acetic acid/ Urine (U) / End of exposure or end of shift. At long term exposure after several previous shifts

DNEL/DMEL and PNEC values

DNEL/DMEL

Limit value type: DNEL worker (local) (2-BUTOXEHANOL : CAS NO.: 111-76-2)
Exposure route: Inhalation
Exposure frequency: Short term (acute)
Limit value: 246 mg/m³
Limit value type: DNEL worker (local) (PHOSPHORIC ACID ; CAS No. : 7664-38-2)
Exposure route: Inhalation
Exposure frequency: Long -term
Limit value: 1 mg/m³
Limit value type: DNEL worker (local) (PHOSPHORIC ACID ; CAS No. : 7664-38-2)
Exposure route: Inhalation
Exposure frequency: Short -term
Limit value: 2 mg/m³
Limit value type: DNEL worker (systemic) (2-BUTOXEHANOL; CAS No. : 111-76-2)
Exposure route: Inhalation
Exposure frequency: Short-term
Limit value: 98 mg/m³
Limit value type: DNEL worker (systemic) (2-BUTOXEHANOL; CAS No. : 111-76-2)
Exposure route: Inhalation
Exposure frequency: Short-term (acute)
Limit value: 663 mg/m³
Limit value type: DNEL worker (systemic) (BUTYL CELLOSOLVE ; CAS No. : 111-76-2)
Exposure route: Dermal
Exposure frequency: Long-term
Limit value: 75 mg/kg
Limit value type: DNEL worker (systemic) (2-BUTOXEHANOL; CAS No. : 111-76-2)
Exposure route: Dermal
Exposure frequency: Short-term
Limit value: 89 mg/kg

PNEC

Limit value type:	PNEC (Aquatic, freshwater) (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Limit value:	8,8 mg/l
Limit value type:	PNEC (Aquatic, marine water) (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Limit value:	0,88 mg/l
Limit value type:	PNEC (Sediment, freshwater) (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Limit value:	34,6 mg/kg
Limit value type:	PNEC (Soil) (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Limit value:	2,33 mg/kg
Limit value type:	PNEC (Sewage treatment plant) (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Limit value:	463 mg/l

8.2 **Exposure controls**
Personal protective equipment
Eye / face protection



Wear suitable safety goggles in case of splash
 Safety goggles acc. EN 166

Suitable eye protection:

Skin Protection
Hand protection



Wear protective gloves in case of longer lasting skin contact.

Suitable glove type:	EN 374
Suitable material:	NBR (Nitrile rubber)
Breakthrough time (maximum wearing time):	480 min.
Thickness of the glove material:	0.4 mm
Remarks:	The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quality of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with supplier of these gloves.

Respiratory protection



Respiratory protection necessary at: exceeding exposure limit values

Usually no personal respiratory protection necessary.

Suitable respiratory protection apparatus	Combination filtering device (EN 14387). A
Type:	Observe the wear time limits according GefStoffVF in combination with the rules for using respiratory protection apparatus (BGR 190).
Remark	Do not put any product-impregnated cleaning rags into your trouser pockets... When using do not eat, drink, smoke, sniff.
General health and safety measures:	Avoid contact with skin, eyes and clothes. P362+P364. Take off contaminated clothing and wash it before reuse. P264 - Wash hands thoroughly after handling.

8.3 **Additional Information:** No tests have been performed. Selection made for preparations according to the best available knowledge and information on ingredients. In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use.

9. Physical and chemical properties:

9.1 Information on the basic physical and chemical properties

Appearance: Liquid
Colour: White
Odour: Lemon

Safety relevant basis data

Initial boiling point and boiling range			1013hPa
	approx.		98 °C
Flash Point:			Not relevant
Lower explosion limit:			Not relevant
Upper explosion limit:			Not relevant
Vapour pressure: (50 °C)			Not relevant
Density: (20 °C)	approx.		1,45 g/cm ³
Solvent separation test: (20 °C)			not applicable
pH-:			< 1
Flow time: (20 °C)			not applicable DIN-cup 4 mm
Maximum VOC content (EC):			2,5 Wt %
Corrosive to metals:			May be corrosive to metals (H290)

9.2 Other Information No further relevant information available

10. Stability and reactivity

- 10.1 Reactivity:**
This material is considered to be non-reactive under normal use conditions.
- 10.2 Chemical stability:**
The mixture is chemically stable under recommended conditions of storage, use and temperature.
- 10.3 Possibility of hazardous reactions:**
No known hazardous reactions.
- 10.4 Conditions to avoid:**
No information available
- 10.5 Incompatible materials:**
No information available
- 10.6 Hazardous decomposition products:**
No hazardous decomposition products
Decomposition products in case of fire : See section 5.

11. Toxicological information

11.1 Information on toxicological effects

Acute effects
Acute oral toxicity

Parameter :	ATEmix calculated
Exposure route :	Oral
Effective dose :	> 2000 mg/kg
Parameter :	LD50 (PHOSPHORIC ACID ; CAS No. : 7664-38-2)
Exposure route :	Oral
Species :	Rat
Effective dose :	1530 mg/kg
Parameter:	LD50 (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Exposure route :	Oral
Species :	Rat
Effective dose :	1250 - 1490 mg/kg
Method :	OECD 401
Parameter:	LD50 (CITRIC ACID ; CAS No. : 77-92-9)
Exposure route :	Oral
Species :	Rat
Effective dose :	> 2000 mg/kg

Acute dermal toxicity

Parameter :	ATEmix calculated
Exposure route :	Dermal
Effective dose :	> 2000 mg/kg
Parameter:	LD50 (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	841 mg/kg
Method :	OECD 402
Parameter:	LD50 (PHOSPHORIC ACID ; CAS No. : 7664-38-2)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	2740 mg/kg

Acute inhalation toxicity

Parameter :	ATEmix calculated
Effective route:	Inhalation
Effective dose :	> 20 mg/l
Parameter:	LC50 (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Exposure route :	Inhalation
Species :	Rat
Effective dose :	2 - 20 mg/l
Exposure time :	4 h

Corrosion**Skin corrosion/irritation**

No further relevant information available

Serious eye damage/eye irritation

No further relevant information available

Respiratory or skin sensitisation**Skin sensitisation**

No further relevant information available

Sensitisation to the respiratory track

No further relevant information available

CMR Effects (carcinogenicity, mutagenicity and toxicity for reproduction)**Carcinogenicity**

No further relevant information available

Germ cell mutagenicity

No further relevant information available

Reproductive toxicity

No further relevant information available

STOT-single exposure

No further relevant information available

STOT-repeated exposure

No further relevant information available

Aspiration hazard

No further relevant information available

11.2	Toxicokinetics, metabolism and distribution	There is no data available on the preparation/mixture itself.
11.3	Other adverse effects	May be absorbed through the skin. Has degreasing effect on the skin. Frequently or prolonged contact with skin may cause dermal irritation.
11.4	Additional information	Preparation not tested. The statement is derived from the properties of the single components.

12. Ecological information

12.1 Toxicity:

Aquatic toxicity

Acute (short-term) fish toxicity

Parameter: LC50 (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Species : Oncorhynchus mykiss (Rainbow trout)
Evaluation parameter : Acute (short-term) fish toxicity
Effective dose : 1474 mg/l
Exposure time : 96 h
Method : OECD 203

Parameter: LC50 (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) daphnia toxicity
Effective dose : 1815 mg/l
Exposure time : 24 h
Method : DIN 38412 / part 11

Parameter: LC50 (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Chronic (long-term) daphnia toxicity
Effective dose : 297 mg/l
Exposure time : 21 D
Method : OECD 211

Chronic (long-term) daphnia toxicity

Parameter: NOEC (PHOSPHORIC ACID ; CAS No. : 7664-38-2)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) daphnia toxicity
Effective dose : 56 mg/l
Exposure time : 48 h
Method : OECD 202

Parameter: NOEC (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Species : Brachydanio rerio (zebra-fish)
Evaluation parameter : Chronic (long-term) fish toxicity
Effective dose : > 100 mg/l
Exposure time : 21 d
Method : OECD 204

Parameter: NOEC (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Chronic (long-term) daphnia toxicity
Effective dose : 100 mg/l
Exposure time : 21 d
Method : OECD 211

Parameter: NOEC (PHOSPHORIC ACID ; CAS No. : 7664-38-2)
Species : Desmodesmus subspicatus
Evaluation parameter : Acute (short-term) algae toxicity
Effective dose : 100 mg/l
Exposure time : 72 h
Method : OECD 201

Parameter: NOEC (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Species : Algae
Effective dose : 286 mg/l
Exposure time : 72 h
Method : OECD 201

Acute (short-term) algae toxicity to aquatic algae & cyanobacteria

Parameter: EC50 (PHOSPHORIC ACID ; CAS No. : 7664-38-2)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) daphnia toxicity
Effective dose : > 100 mg/l
Exposure time : 48 h
Method : OECD 202

Parameter: EC50 (2-BUTOXYETHANOL ; CAS No. : 111-76-2)
Species : Algae
Effective dose : 1840 mg/l
Exposure time : 72 h
Method : OECD 201

Parameter: EC50 (PHOSPHORIC ACID ; CAS No. : 7664-38-2)
Species : Desmodesmus subspicatus
Evaluation parameter : Acute (short-term) algae toxicity
Effective dose : > 100 mg/l
Exposure time : 72 h
Method : OECD 201

12.2 Persistence and degradability:

Biodegradation

Parameter: Biodegradation (2-BUTOXYETHANOL; CAS No. : 111-76-2)
Inoculum: Biodegradation
Degradation rate: 88 %
Test duration: 20 d

According to the recipe, contains no AOX.

12.3 Bio accumulative potential:

No indication of bioaccumulation potential.

12.4 Mobility in soil:

No information available.

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects:

No information available.

12.7 Additional ecotoxicological information:

After neutralisation, reduction in toxic effects is observed.

13. Disposal considerations

13.1 The allocation of waste identify numbers/waste descriptions must be carried out according to the EEC, Specific to the industry and process. List of proposed waste codes/waste designations in accordance with EWC.

Waste Treatment methods

Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

20 01 29*- detergents containing dangerous substances

Waste code packaging:

15 01 02 -plastic packaging

Waste treatment options:

Appropriate disposal / Package:

Contaminated packaging must be completely emptied and can be re-used following proper cleaning. Handle contaminated packages in the same way as the substance itself.

Other disposal recommendations

P501 – Dispose of contents/container to industrial incineration plant.

13.2 Additional information:

These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use.

14. Transport information:

14.1 UN Number:

UN1760

14.2 UN proper shipping name

Land transport (ADR/RID):




CORROSIVE LIQUID, N.O.S. (PHOSPHORIC ACID)

Sea transport (IMDG):

CORROSIVE LIQUID, N.O.S. (PHOSPHORIC ACID)

Air transport (ICAO-TI / IATA-DGR)

CORROSIVE LIQUID, N.O.S. (PHOSPHORIC ACID)

14.3	Transport hazard class(es) Land transport (ADR/RID) Class(es): Classification code: Hazard identification number (Kemler no.): Tunnel restriction code: Special provisions: Hazard label (s):	8 C9 80 E LQ 5 I - E1	
	Sea Transport (IMDG): Class(es): EmS-No: Special provisions: Hazard label:	8 8 F-A /S-B LQ 5 I E1 -INDG-Code segregation group 1 -Acids	
	Air Transport (ICAO-TI / IATA-DGR) Class(es); Special provisions: Hazard label(s):	8 8 E 1	
14.4	Packing group	8 III	
14.5	Environmental hazard Land transport (ADR/RID): Sea transport (IMDG): Air transport (ICAO-TI / IATA-DGR):	No No No	
14.6	Special precaution for user:	None	
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code No transport as bulk according to IBC code.		

15. Regulatory Information:

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU LEGISLATIONS

Authorisations and/or restrictions of use

Restriction on use

Use restriction according to REACH annex XVII, NO ; 3

Restriction of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juvenile according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations (EU)

Labelling for contents according to regulation (EC) No.648/2004

Perfumes

National regulations

AT: Labelling according to Austrian regulations (Chemikaliengesetz/ChemV).
CH: Chemikalienverordnung (ChemV) and Chemikalien-Risikoreduktions-Verordnung (Chem RRV) are complied.

Weight fraction (Numbers 5.2.5 I): <5 %

Technische Anieitung Luft (TA-Luft)

Water hazard class (WGK):

Classificaition according to AwSV -Class: 1 (slightly hazardous to water)

15.2 Chemical safety assessment: For this substance a chemical safety assessment has not been carried out.

16. Other information

- 16.1 **Indication of changes:** 03. Hazardous ingredients
- 16.2 **Abbreviations and acronyms:** ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europäisches Übereinkommen über die Beförderung gefährlicher Güter auf der Straße)
AOX: adsorbierbare organisch gebundene Halogene
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen
CAS: Chemical Abstracts Service (Unterabteilung der American Chemical Society)
CLP: Verordnung (EG) Nr. 1272/2008 über die Einstufung, Kennzeichnung und Verpackung von Stoffen und Gemischen (Classification Labelling and Packaging)
EAK / AVV: europäischer Abfallartenkatalog / Abfallverzeichnis-Verordnung
ECHA: Europäische Chemikalienagentur (European Chemicals Agency)
EINECS: : Altstoffverzeichnis (European Inventory of Existing Commercial Chemical Substances)
GHS: Global harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien (Globally Harmonized System of Classification and Labelling of Chemicals)
IATA: Internationale Luftverkehrs-Vereinigung (International Air Transport Association)
ICAO: Internationale Zivilluftfahrtorganisation (International Civil Aviation Organization)
IMDG: Gefahrgutkennzeichnung für gefährliche Güter im Seeschiffverkehr (International Maritime Code for Dangerous Goods)
RID: Regelung zur internationalen Beförderung gefährlicher Güter im Schienenverkehr (Règlement concernant le transport international ferroviaire de marchandises dangereuses)
TRGS: Technische Regel für den Umgang mit Gefahrstoffen
VbF: Verordnung über brennbare Flüssigkeiten
VOC: flüchtige organische Verbindung (volatile organic compound)
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe
WGK: Wassergefährdungsklasse
- 16.3 **Key literature reference and sources for data:** DGUV: GESTIS-Stoffdatenbank
ECHA: Classification And Labelling Inventory
ECHA: Pre-registered Substances
ECHA: Registered Substances
EC_Safety Data Sheet of Suppliers
ESIS: European Chemical Substances Information System
GDL: Gefahrstoffdatenbank der Länder
UBA Rigoletto: Wassergefährdende Stoffe
Regulation (EC) No. 1907/2006 of the European Parliament and of the Council
Regulation (EC) No. 1272/2008 of the European Parliament and of the Council
- 16.4 **Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]:**
No available information
- 16.5 **Relevant H- and EUH-phrases (Number and full text)**
- | | |
|------|--|
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
- 16.6 **Training advice** None
- 16.7 **Additional information** None

The above information describes exclusively the safety requirements of the products and is based on our present day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

End of document.